STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)	(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION:	(X3) DATE SURVEY COMPLETED:
	39C0001137	A. BLDG: 00 B. WING:	04/04/2023

NAME OF PROVIDER OR SUPPLIER:	STREET ADDRESS, CITY, STATE, ZIP CODE:
MAIN LINE ENDOSCOPY CENTER, WEST STATE LICENSE NUMBER: **15801501**	**325 WEST CENTRAL AVENUE, LOWER LEVEL MALVERN, PA 19355**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE	(X5) COMPLETE DATE
S 0000	INITIAL COMMENT This report is the result of an occupancy survey conducted on April 4, 2023, at Main Line Endoscopy Center, West, which included pre and post procedure areas. Based on the occupancy survey, it was determined the facility was in compliance with all applicable requirements of the Pennsylvania Department of Health's Rules and Regulations for Ambulatory Care Facilities, Annex A, Title 28, Part IV, Subparts A and F, Chapters 551-573, November 1999 and the current edition of the Guidelines for Design and Construction of Outpatient Facilities.	S 0000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE: | (X6) DATE:

Certified End Page

MAIN LINE ENDOSCOPY CENTER, WEST

STATE LICENSE NUMBER: 15801501

SURVEY EXIT DATE: 04/04/2023

I Certify This Document to be a True and Correct Statement of Deficiencies and Approved Facility Plan of Correction for the Above-Identified Facility Survey

Jeane Parisi
Deputy Secretary for Quality Assurance

Debra L. Bogen, MD, FAAP
Acting Secretary of Health

pennsylvania
DEPARTMENT OF HEALTH

THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY